L Number	Hits	Search Text	DB	Time stamp
14	8309	nam$3 adj3 (network or site)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 16:50
15	5116	nam$3 adj2 (network or site)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 16:50
16	18	nam$3 adj2 (logical adj network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 18:00
17	2	20030083931.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 18:00
-	33	discover$3 near4 (physical adj (location or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 09:50
-	26	(discover$3 near4 (physical adj (location or address))) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:27
-	2	("6570926").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:22
-	1	uniquely with persistently with identifying with networks.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:23
-	34	(discover$3 near4 ((physical adj (location or address)) or (location or geographic$5) adj information)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:31
-	24	(discover$3 near4 ((physical adj (location or address)) or (location or geographic$5) adj information)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:37
-	29	(determin$3 or discover$3) with (geographic$3 or location) with interface$1!.ti. and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:52
-	484	(determin$3 or discover$3) near4 (geographic$3 or location) near5 interface$1! and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:53
-	2	((determin$3 or discover$3) near4 (geographic$3 or location) near5 interface$1! and @ad<20000424) and (error adj range)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 17:14
-	5	(notif$3 or alert$3) with (application or service) with ((location or geographic$4) adj (information or data)) with (chang$3 or alter$3 or modify$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/13 12:24

-	33	(discover$3 near4 (((physical or geographic$3) adj (location or address)))) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 15:03
-	1	(discover$3 near4 (((physical or geographic$3) adj (location or address))) adj3 interface) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 15:09
-	0	(discover$3 adj3 location adj5 ((network adj interface) or adapter or modem)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 15:11
-	2201	(location adj5 ((network adj interface) or adapter or modem)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 15:11
-	2201	(location adj5 (((network adj interface) or adapter or modem))) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 15:11
-	258	(determin$3 or discover$3 or calculat$3 or comput$3) near4 (location adj5 (((network adj interface) or adapter or modem))) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 15:13
-	8	(determin$3 or discover$3 or calculat$3 or comput$3) near4 ((physical or gepgraphic$3) adj location adj5 (((network adj interface) or adapter or modem))) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 15:13
-	2	20030110293.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 15:56
-	0	(mame with (network)) with application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 10:12
-	0	provid$3 adj3 (name near3 (logical adj network)) near4 application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 10:13
-	1	provid$3 with (name near3 (logical adj network)) near4 application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 10:20
-	24842	locat$3 adj4 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 10:21
-	47	locat$3 adj4 network near4 device near3 attach$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 10:25
-	17	(locat$3 adj4 network near4 device near3 attach$3) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 10:39

-	2	"20030110293"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:11
-	578	(creat$3 or generat$3 or assign$3 or nam$3) adj4 name adj3 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:15
-	2	(creat$3 or generat$3 or assign$3 or nam$3) adj4 name adj3 (logical adj network) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:17
-	304	(creat$3 or generat$3 or assign$3 or nam$3) adj4 name adj3 (network) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:18
-	3	(creat$3 or generat$3 or assign$3 or nam$3) adj4 name adj3 (network) near3 location and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:23
-	0	(creat$3 or generat$3 or assign$3 or nam$3 or construct$3) adj4 name with (logical adj network) near3 location and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:23
-	33	(creat$3 or generat$3 or assign$3 or nam$3 or construct$3) adj4 name near4 (network) with location and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:00
-	2	(name or identifier or id or identification) near3 (connect$3 near3 network) same (GUID or (global$3 adj unique adj identifier)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:08
-	36	(name or identifier or id or identification) near3 (network) same (GUID or (global$3 adj unique adj identifier)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:22
-	2	("5956038").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:22
-	2	("6664925").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 18:09
-	27	MOORE-TIMOTHY-M.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 18:18
-	2	20030083931.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 18:30
-	2	unique$3 with persistent$3 adj3 identify$3 adj3 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 18:31

-	6641	identify$3 adj3 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 18:31
-	41	identify$3 adj3 network same (discover$3 or determin$3 or identify$3) adj4 ((physical or geographic$5) adj location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 18:33
-	23	(identify$3 adj3 network same (discover$3 or determin$3 or identify$3) adj4 ((physical or geographic$5) adj location)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 19:04
-	3	location near4 ((network adj interface) near3 computer) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 19:04
-	2	network adj location adj resolution adj service adj provider	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 10:02
-	0	(contact$3 or poll$3) adj4 driver$1! adj4 ((network adj (interface or adapter)) or NIC$1!) near4 connect$5 adj5 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 10:07
-	0	(contact$3 or poll$3) adj4 driver$1! with ((network adj (interface or adapter)) or NIC$1!) near4 connect$5 adj5 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 10:08
-	2	(contact$3 or poll$3) adj4 driver$1! with ((network adj (interface or adapter)) or NIC$1!) with connect$5 with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 10:09
-	2	(construct$3 or creat$3 or generat$3 or assign$3) adj3 (name or identifer or id or identification) adj5 network adj3 connect$3 adj5 computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 10:14
-	472	(construct$3 or creat$3 or generat$3 or assign$3) adj3 (name or identifer or id or identification) adj5 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 10:14
-	253	((construct$3 or creat$3 or generat$3 or assign$3) adj3 (name or identifer or id or identification) adj5 network) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 10:49
-	21	(((construct$3 or creat$3 or generat$3 or assign$3) adj3 (name or identifer or id or identification) adj5 network) and @ad<20000424) and ((discover$3 or determin$3) adj4 (location))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:08
-	0	((discover$3 or determin$3 or collect$3 or gather$3) adj4 ((network near3 (connection)) or interface) same ((creat$3 or construct$3 or nam$3 or generat$3 or assign$3) adj4 ((site or network) adj name)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:22
-	335	((creat$3 or construct$3 or nam$3 or generat$3 or assign$3) adj4 ((site or network) adj name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:39

-	194	(((creat$3 or construct$3 or nam$3 or generat$3 or assign$3) adj4 ((site or network) adj name))) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 18:40
-	0	((creat$3 or construct$3 or nam$3 or generat$3 or assign$3) adj4 ((site or network) adj name)) with (unique$3 with persistent$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:36
-	1	((creat$3 or construct$3 or nam$3 or generat$3 or assign$3) adj4 ((site or network) adj name)) same ((interface adj id) or GUID) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:40
-	0	(discover$3 or recogniz$3 or identify$3 or collect$3 or gather$3 or determin$3) adj4 (NIC or (network adj interce)) with ((network or site) adj (name or label or identifer or id or alias)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 15:43
-	2	(discover$3 or recogniz$3 or identify$3 or collect$3 or gather$3 or determin$3) adj4 (NIC or (network adj interce)) with ((network or site) near3 (name or label or identifer or id or alias)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 15:48
-	2	(discover$3 or recogniz$3 or identify$3 or collect$3 or gather$3 or determin$3) near5 (NIC or (network adj interce)) with ((network or site) near3 (name or label or identifer or id or alias)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 15:48
-	2	(discover$3 or recogniz$3 or identify$3 or collect$3 or gather$3 or determin$3) with (NIC or (network adj interce)) with ((network or site) near3 (name or label or identifer or id or alias)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 15:48
-	18	(NIC or (network adj interce)) with ((network or site) near3 (name or label or identifer or id or alias)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 16:30
-	30	(NIC or (network adj interce)) same ((network or site) near3 (name or label or identifer or id or alias)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 16:44
-	2488086	(name$3 or map$4 or creat$3 or generat$3 or construct$3 or assign$3) near5 (identification or name or label or identifer or id or alias) near$3 (network or site) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 16:47
-	3496	(name$3 or map$4 or creat$3 or generat$3 or construct$3 or assign$3) near5 (identification or name or label or identifer or id or alias) near3 (network or site) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 16:48
-	1	709/250.ccls. and (name$3 or map$4 or creat$3 or generat$3 or construct$3 or assign$3) near5 (identification or name or label or identifer or id or alias) near3 (network or site) same (configur$3 with (NIC$1! or (network adj interface$1!) or adapter$1!)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 16:52
-	2	(name$3 or map$4 or creat$3 or generat$3 or construct$3 or assign$3) near5 (identification or name or label or identifer or id or alias) near3 (network or site) same (configur$3 with (NIC$1! or (network adj interface$1!) or adapter$1!)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 16:53

-	76	(name$3 or map$4 or creat$3 or generat$3 or construct$3 or assign$3) near5 (identification or name or label or identifer or id or alias) near3 (network or site) and (configur$3 with (NIC$1! or (network adj interface$1!) or adapter$1!)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 16:53
-	16	(table or list or structure) with (network adj ID) with (interface or NIC or adapter or modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 18:49
-	11	((table or list or structure) with (network adj ID) with (interface or NIC or adapter or modem)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 18:41
-	1	(table or list or structure) with (network adj (ID or name or identifier or identification)) with GUID	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 18:48
-	1	(table or list or structure) with (network adj (ID or name or identifier or identification)) same GUID	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 18:47
-	3	(table or list or structure) with (network adj (name or identification or identifier or ID)) with ((interface or NIC or adapter or modem) adj (id or name or identifier or identification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 18:54
-	6	(table or list or structure) same (network adj (name or identification or identifier or ID)) with ((interface or NIC or adapter or modem) adj (id or name or identifier or identification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 19:02
-	25	(network adj (name or identification or identifier or ID)) with ((interface or NIC or adapter or modem) adj (id or name or identifier or identification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 19:03
· -	67	assign$3 adj3 name adj4 (network or site)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 10:03
-	37	(assign$3 adj3 name adj4 (network or site)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 08:49
-	270	(assign$3 or map$4) adj3 (name or alias or id) adj4 (network or site)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 10:04
-	132	((assign$3 or map$4) adj3 (name or alias or id) adj4 (network or site)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 14:16
-	2	("6493751").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 14:16
-	0	(network adj (id or name or alias)) with (NIC adj (ID or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:57

-	23	(network adj (id or name or alias)) with ((NIC or interface or card or adapter) adj (ID or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:58
-	31	((site or network) adj (id or name or alias)) with ((NIC or interface or card or adapter) adj (ID or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 17:00
-	8	(((site or network) adj (id or name or alias)) with ((NIC or interface or card or adapter) adj (ID or number))) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 17:00
-	6667	identify$3 adj3 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:07
-	335	identify$3 adj3 network same ((physical or geographic$50 adj location))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:07
-	151	(identify$3 adj3 network same ((physical or geographic$50 adj location))) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:35
-	4	(identify$3 or discover$3 or determin$3) adj ((logical adj network) or site) with (computer or device) near4 (connected or attached) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:12
-	12	(identify$3 or discover$3 or determin$3) adj ((logical adj network) or site) same (computer or device) near4 (connected or attached) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:14
-	19	(identify$3 or discover$3 or determin$3) adj2 ((logical adj network) or site) same (computer or device) near4 (connected or attached) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:42
-	39	(creat$3 or generat$3 or assign$3) adj3 (alias or name) adj4 (site)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:28
-	0	("{networkadjlocationadjresolutionadjserviceadjprovider)"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:34
-	2	network adj location adj resolution adj service adj provider	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:35
-	1029	(identify$3 or discover$3 or determin$3) adj7 ((network) or site) same (computer or device) near7 (connected or attached) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:43
-	513	(identify$3 or discover$3 or determin$3) adj7 ((network) or site) with (computer or device) near7 (connected or attached) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:43

-	214	(709/(223,220-221,250).ccls.) and ((identify$3 or discover$3 or determin$3) adj7 ((network) or site) with (computer or device) near7 (connected or attached) and @ad<20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 14:10
-	919163	GUID nea3 (modem or interface or NIC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 14:10
-	68	GUID near3 (modem or interface or NIC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 14:11
-	29	(GUID near3 (modem or interface or NIC)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 14:12